


REPLACEMENT SHEET


Title: ENDOSCOPIC CLIP APPLIER AND
METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12





REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12




FIG. 2a






FIG. 2b

Title: ENDOSCOPIC CLIP APPLIER AND METHOD






REPLACEMENT SHEET


Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12





REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12





FIG. 4



REPLACEMENT SHEET
Title: ENDOSCOPIC CLIP APPLIER AND
METHOD
Applicant: Don Wilson, Jr.
Serial No.: 09/905,679
Atty Docket: 1439/12





FIG. 5



REPLACEMENT SHEET
Title: ENDOSCOPIC CLIP APPLIER AND
METHOD
Applicant: Don Wilson, Jr.
Serial No.: 09/905,679
Atty Docket: 1439/12






FIG. 6



REPLACEMENT SHEET
Title: ENDOSCOPIC CLIP APPLIER AND
METHOD
Applicant: Don Wilson, Jr.
Serial No.: 09/905,679
Atty Docket: 1439/12



Applicant: Don Wilson, Jr.
Serial No.: 09/905,679
Atty Docket: 1439/12

Atty Docket: 1439/12





REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12






FIG. 9


Title: ENDOSCOPIC CLIP APPLIER AND METHOD



Applicant: Don Wilson, Jr.



Serial No.: 09/905,679


Atty Docket: 1439/12













REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12





FIG. 15a



REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12




FIG. 15b





FIG. 15c



REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12





FIG. 16



REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND
METHOD

Applicant: Don Wilson, Jr.
Serial No.: 09/905,679
Atty Docket: 1439/12







FIG. 17





REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12





FIG. 19



REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12










FIG. 20










REPLACEMENT SHEET


Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12





REPLACEMENT SHEET

Title: ENDOSCOPIC CLIP APPLIER AND METHOD

Applicant: Don Wilson, Jr.

Serial No.: 09/905,679

Atty Docket: 1439/12




FIG. 25

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☒ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.